

YOUR OWN LIFE



Your body after childbirth	137	Bringing up a baby on your own	148
Physical problems	138	Bereavement	149
Keeping healthy	140	Loneliness	150
Relationships	144	Money, work and benefits	150
Domestic abuse	148		

Becoming a parent changes your life. Suddenly there is no time to do the things you like to, to relax with your partner or friends or just to take a bit of time for yourself. Sometimes, you will feel like there is no time to eat or sleep! But if you don't take care of yourself, you will end up run down and exhausted, and you will not have the energy you need to make a good job of being a parent. This section is for you.

- Having a baby changes you physically and emotionally. You will not feel the same, and you will not lose all your baby weight straight away! Give yourself time to adjust.
- Taking care of yourself might be low on your list of priorities, but it's important to stay healthy for your own sake and the sake of your baby.
- Relationships – with your partner, and with other people – need to be worked out. It's important that you don't feel you are trying to cope alone.
- Having someone to talk to outside the home is especially important if you are a lone parent.
- When you are ready, going back to work could help improve your finances and help you feel like you are back in touch with the outside world.

YOUR BODY AFTER CHILDBIRTH

Having a baby changes your body. You may not like the changes, or you may enjoy feeling different, 'more like a mother'. If you are happy the way you are, don't let other people tell you differently.

If you feel uncomfortable with your body, though, you will want to make some changes. Some things will never be quite the same again – for example, stretch marks will fade, but will not ever go away completely. Other changes need not be permanent.



You can tighten a saggy tummy with exercise, and weight gained will gradually drop off if you eat and exercise sensibly. But it's not going to happen overnight. It took nine months to make a baby, and it will take at least that long to get back into shape again.

In the meantime, give your body some little treats to cheer you up. For example, if it makes you feel good to paint your toenails, then make time to do it. Maybe for you that is even more important than 20 minutes of extra sleep.

The postnatal check

You will be very busy looking after your baby, but do remember to go for your postnatal check at around six to eight weeks.

This is an opportunity for you to talk to your GP about any health problems you have had since your baby's birth, such as perinatal pain or pain following episiotomy, backache, piles or incontinence. It's also an opportunity to talk about how you are feeling, and to discuss family planning. You can get pregnant again within three weeks of giving birth so it's important to sort out your contraception before you start having sex again.

PHYSICAL PROBLEMS

A lot of women experience physical problems either as a result of labour and birth or because of the kind of work involved in caring for young children, or both. Problems like recurring infections, back pain, a leaky bladder and painful intercourse are more common than people think.

For some problems you can do a lot to help yourself. For example, if you are suffering from a leaky bladder or getting that 'falling out' feeling, you may need to strengthen the muscles around your bladder, vagina and perineum. Pelvic floor exercises can help. A bad back can also be helped by exercise and by learning to use your back carefully.

But if something really is bothering you, don't be afraid to ask for help. Your GP may be able to suggest treatment or refer you to a specialist or an obstetric physiotherapist who can help with back and bladder problems and painful stitches.

Pelvic floor exercises

The muscles of the pelvic floor form a hammock underneath the pelvis, supporting your bladder, uterus and bowel. You use these muscles when you pass water or empty your bowels and when you have sex. Pregnancy, labour and birth can stretch and weaken these muscles. If you can improve their strength and function you are less likely to have a leaky bladder and more likely to enjoy sex.

You can do the following exercises either sitting or standing, when you are washing up, queuing in the supermarket, watching TV – anytime, anywhere:

- Squeeze and draw in your back passage at the same time. Close up and draw your vagina (front passage) upwards.
- Do it quickly, tightening and releasing the muscles immediately.
- Do it slowly, holding the contractions for as long as you can (not more than 10 seconds) before you relax.
- Repeat both exercises 10 times, four to six times a day.

You may find it helps to imagine you are stopping a bowel movement, holding in a tampon or stopping yourself passing urine. In fact, the best way to find the muscles is to try stopping and starting (or slowing down) the flow of urine while you are on the toilet.

exercising
improves
strength
and
function



Deep stomach exercise

This exercise will help to firm your stomach:

- Lie on your side with your knees slightly bent.
- Let your tummy sag and breathe in gently.
- As you breathe out, gently draw in the lower part of your stomach like a corset, narrowing your waistline.
- Squeeze your pelvic floor at the same time.
- Hold for a count of 10 then gently release.
- Repeat 10 times.

Easing back pain

The following tips will help relieve an aching back:

- While feeding your baby, always sit with your back well supported and straight. Use a pillow or cushion behind your waist.
- Kneel or squat to do low-level jobs like bathing your baby or picking things up off the floor. Avoid bending your back.



- Make your knees work instead. Change nappies on a waist-level surface or while kneeling on the floor.

- To lift weights like a carrycot or an older child, bend your knees, keep your back straight and hold the weight close to your body. Make your thigh muscles work as you lift.
- Try to keep a straight back when you push a pram or buggy, or carry your baby in a sling.

**keep a
straight
back**



Deep vein thrombosis

Deep vein thrombosis (DVT) is a serious condition where clots develop in the deep veins of the legs. It can be fatal if the clot travels from the legs to the lungs. Flights lasting over five hours where you sit still for a long time may increase the risk. Pregnant women and women who have recently had a baby are among those more at risk, so if you intend to travel by air, it is important that you consult your GP or health visitor before the trip. They can give you advice on in-seat exercises to keep your blood circulating.



If you do develop swollen, painful legs or have breathing difficulties after a flight, see a GP urgently or go to the nearest accident and emergency department.

More information

For more information on DVT and travel, go to www.dh.gov.uk or www.nhs.uk and search for 'DVT'.



KEEPING HEALTHY

Eating

Being a parent is an exhausting business and it's easy to find that you have no time or energy to cook or eat properly. Healthy eating is important for all of your family. Eating well will make you feel better and it need not take much time. See page 55 for more on how to eat a healthy diet.

If you are breastfeeding, you don't need to eat a special diet. But you should make sure you eat and drink plenty and get plenty of rest. See page 13 for information on eating healthily while breastfeeding.

If you feel you need to lose weight, talk to your GP about it first. The most effective way of losing weight is to cut down on fat and sugar but not to go on a crash diet. Small regular meals will keep up your energy levels without adding to your weight. If you are breastfeeding, losing weight by eating healthily and taking regular moderate exercise such as a brisk 30-minute walk will not affect the quality or quantity of your milk.



Physical activity

When you are feeling tired, being active or taking more exercise may seem like the last thing you need, but activity can relax you, help your body recover after childbirth, keep you fit or improve your fitness, and make you feel better and more energetic. The following suggestions may help:

- **Keep up your postnatal exercises.** They will strengthen vital muscles and improve your shape. See pages 138 and 139 for practical information on some important exercises.
- **Join a postnatal exercise class.** It may help to be with other new mums. Find out if your local maternity unit has a class run by an obstetric physiotherapist, or ask your health visitor about other local classes. If you are going to a class other than a special postnatal class, be sure to tell the person running the class if you have had a baby in the last few months. You will need to take special care of your back and avoid exercises that could damage it.
- **Push the pram or buggy briskly, remembering to keep your back straight.** Walking is great exercise so try to get out as much as you can.



- **Play energetic games with older children.** You can exercise by running about with them. Find outdoor space if there is no space at home.
- **Run upstairs.** You probably find yourself going up and down a hundred times a day in any case. Try to think of it as good exercise!
- **Squat down to pick things up from the floor, holding heavy weights close to your body.** This is also something you are likely to be doing a lot. If you squat rather than stoop, bending your knees and keeping your back straight, you will strengthen your thigh muscles and avoid damaging your back.
- **Swimming is good, relaxing exercise.** If you take your child with you, try to have someone else there too, so that you get a chance to swim.



- **Borrow or buy an exercise video.** This is a way that you can do a workout at home. You could get a friend or your older children to join in.

Helpful tips

Planning another pregnancy?

If you are thinking of trying for another baby, remember to start taking a daily 400 microgram supplement of folic acid as soon as you stop using contraception. You will need to carry on until the 12th week of pregnancy. Folic acid can help prevent birth defects, such as spina bifida, and is included in the Healthy Start vitamin supplement for women. If you qualify for Healthy Start you may be able to get this free of charge. If you don't qualify for Healthy Start, you may be able to buy supplements inexpensively from your local baby clinic, children's centre or community pharmacy. Go to page 48 for more information about Healthy Start. You will need a higher dose of folic acid if you or your partner has spina bifida or other similar conditions (called neural tube defects or NTDs), or if either of you have a family history of NTDs or have previously had a baby with an NTD. Your GP will be able to prescribe this for you.

If you are overweight and thinking about having another baby, you may want to talk to your GP or health visitor about losing weight before you get pregnant again. They should be able to advise you about eating healthily and taking moderate exercise and about any local programmes which can help you. If you are very overweight, and want to lose weight, ask your GP to refer you to a dietician.

Smoking

Lots of people smoke because they think it calms their nerves, but it doesn't. It just calms the cravings for nicotine, the addictive substance in cigarettes. The best thing you can do for your health and your family's health is stop smoking. It's a worrying fact, but the children of smokers are three times as likely to grow up to be smokers themselves.

Giving up smoking is not always easy, but the NHS is here to help. You are up to four times more likely to stop smoking successfully with NHS support. Call the NHS Smoking Helpline on 0800 022 4 332 for details of your local NHS Stop Smoking Service. Here are some first steps you might find useful to stop smoking:

- **Know why you want to stop.** Keep a checklist of your reasons for going smoke-free and keep it handy in those times when you are finding it tough. Good reasons include feeling healthier, protecting your children's health and having more money to spend on other things.
- **Change your habits.** Smoking is strongly linked to certain situations – the first cigarette of the day, a cigarette with a cup of tea or coffee, a cigarette when the phone rings.



Help and support

For practical and friendly advice on giving up smoking, please call the NHS Pregnancy Smoking Helpline on

0800 022 4 332

Try to break the link by changing your habits. For example, drink orange juice instead of coffee for a while.

- **Be ready to stop.** Choose a day and stop completely on that day. The day before, get rid of cigarettes, ashtrays and lighters.
- **Get support.** Tell your family and friends you have decided to stop and ask them for their support. For example, ask them not to offer you cigarettes and not to smoke around you.
- **Plan ahead.** If you know a situation is going to be difficult, don't just wait for it to happen. Plan how you are going to deal with it.
- **Take one day at a time.** At the start of each day, congratulate yourself on having got this far and making it your goal to get through the day without smoking. Don't worry about tomorrow.
- **If you need to put something in your mouth, try sugar-free gum.** If you need to do something with your hands, find something to fiddle with like a pencil or a coin – anything but a cigarette.

You can also ask your GP, pharmacist, midwife, health visitor or practice nurse for advice on stopping smoking and details of your local NHS Stop Smoking Service. They can offer one-to-one or group sessions with trained stop smoking advisers and, if you are pregnant, they may even have a pregnancy stop smoking specialist. They can also give you advice about dealing with stress, weight gain and using nicotine replacement therapy to help you manage your cravings.

Sleep

Most of the time parents just live with tiredness. But if you are feeling low, bad-tempered, unable to cope and unable to enjoy things, you have got to find ways of getting more sleep or at least more rest. Just one night's good sleep once a week could help.

- **Get to bed early, really early, say for a week.** If you cannot sleep when you get to bed, do something relaxing for half an hour beforehand, whether it's exercise, soaking in a bath or watching TV.
- **Try deep relaxation.** As little as five or 10 minutes' deep relaxation can leave you feeling refreshed, so it's worth learning some techniques. Look online, or go to the library for books, tapes or DVDs.

- **Sleep when your child sleeps.** Rest when your child has a daytime rest, and/or when they are at playgroup or nursery school. You could ask a relative or friend to take your child for a while and spend the time sleeping, not doing chores. Take turns with other parents to give yourself time to rest. Set an alarm if you are worried about sleeping too long.
- **If you can, share getting up in the night with your partner.** Take alternate nights or weeks. If you are on your own, a friend or relative may be prepared to have your children overnight occasionally.
- **Don't let stress get on top of you.** Tiredness is often a sign of stress (see right). If you can do something about the stress, you might find it easier to cope, even if you cannot get any more sleep.

If you find you cannot sleep at night even when your baby is sleeping, it could be a sign of postnatal depression. See page 38 for information on what to do about postnatal depression.

See page 25 for other ways of coping with disturbed nights.

Stress

Small children ask a lot of you but perhaps the most stressful thing is having to cope with everything else that is going on in your life as well as coping with their demands. You can spend a whole day trying – and failing! – to get one job done. Just as you start on it, your baby wakes up, or a nappy needs changing, or they just need a bit of attention.

Sometimes you can feel as though life is completely out of control. If you are the sort of person who likes to be in control and worries about getting things done, this can make you feel very tense and frustrated.

Worry and unhappiness can also cause stress. Maybe you are worried about where you are living, money or relationships or just a whole lot of small things that nevertheless make a big difference to your life. You may not be able to do anything about some of these things, but there are some things that you can do about the stress. Here are some suggestions. Some will be more suitable for you than others:

- **Unwind.** You may find that you can relax just by spending half an hour each evening doing something that you enjoy and that helps you put other things out of your mind. Have a bath, read a magazine or watch TV – whatever helps you unwind. Borrow a book or tape from the library about relaxation. Ignore any other chores, they can wait. Make some time for yourself.

cop ing with tiredness



- **See other people.** Seeing other people can help to relieve stress. Your health visitor, or other parents, may be able to recommend local mother and baby or mother and toddler groups. If you are not keen on organised groups, you could try to get together with people you meet at the clinic, playgroup or nursery school. Netmums (www.netmums.com) has full details of baby and toddler groups in your area.
- **Make time for your partner.** Relationships can go wrong when you are tense and tired and you don't seem to spend any time together. Make time to be with your partner, even if all you manage to do is fall asleep in front of the TV together!

talking can help

- **Express yourself.** Talking about how you are feeling can help, at least for a while. You and your partner need to understand how each other is feeling, and work out how best you can support each other. Sometimes it's better to talk to someone outside the family (see page 144).
- **Accept help.** Make the most of all the help you can find. And remember, you cannot do everything. There is really no point trying.
- **Relax!** There are no prizes for being a supermum or superdad. It can be difficult if you are a perfectionist, but being a parent is the one thing that no one is perfect at.



Feeling depressed

See page 38 for information about postnatal depression.

Most of us feel low occasionally. Lack of sleep, stress, perhaps the strain of balancing a job and parenting, or coping with money problems can all go towards making the early stages of parenthood a difficult, as well as a rewarding, time. Sometimes feeling low takes over completely and becomes depression.



Depression is more than feeling unhappy. It's feeling hopeless about yourself and everything that is happening to you. The hopelessness can make you angry, but often you feel too tired even for anger.

It can seem as though there is no answer and no end to the way you are feeling. You may feel some or all of these things:

- tired, but cannot sleep
- no appetite, or overeating
- no interest in yourself
- no interest in your baby, or over-anxiety about your baby
- the smallest chores seem almost impossible to manage
- you never stop crying
- anxious and unable to cope.

This kind of depression is like an illness. Nothing seems worth doing, so doing something as demanding as caring for a baby or child becomes a real struggle. It's important to get help, both for your own sake and for the family.

See your GP or health visitor, or both. Take someone with you if you think this will help. Make it clear that you are not just feeling low; it's more serious than that. If you find you are feeling like you cannot even take this first step, it's really important that you talk to someone – your partner, a friend or your mother – and ask them to talk to your GP or health visitor and arrange an appointment on your behalf.



Alcohol

You may feel like alcohol helps you relax and unwind. In fact it's a depressant, and will affect your mood, judgement, self-control and co-ordination. If you are tired and run down, it will have even more of an effect. It's fine to drink every now and then, but try to keep track of how much and when you drink. Never mix alcohol with antidepressants or tranquillisers.

RELATIONSHIPS

Parenthood often puts a strain on relationships, regardless of what they were like before. Part of the problem is that you have so much less time to spend with each other than you did before the baby arrived and it's a lot harder to get out together and enjoy the things you used to do. Your partner may feel left out, and you may feel resentful at what you see as lack of support.

Remember, the really hard time, when babies and children take up all your energy, doesn't last for ever. Try to make time for each other when you can and do little things to make each other feel cared for and included.

Talking it over

It does help to talk, but it's not always easy:

- You may want to say things that you are afraid of admitting to the people you love.
- You may feel guilty about your feelings.
- You may worry that people will think you are a 'bad mother'.

For all these reasons it's often best to talk to someone who is not too close to you. That way you can talk honestly without worrying about whether you are shocking them. You may find that it helps to talk to your GP or health visitor. Alternatively, they may be able to refer you to someone else. When you start talking about how you feel, you will almost certainly find that the things you have been worrying about are not as bad as you thought they were.

If you cannot bring yourself to talk to someone face to face, www.netmums.com has an online support forum. It's a good way of talking to other parents who have had similar experiences, and a way to access professional support.

Getting medical help

If you are feeling totally lost in depression, your doctor may prescribe antidepressant drugs. They may be enough to give you the lift you need to start coping again and to find a way out of your depression, though they can take time to work.

Antidepressants are not habit-forming. As long as they are prescribed for you by your GP, there is no need to worry about taking them. Tranquillisers are different. They don't help depression and can be habit-forming, so they are best avoided.

Relationships with family and friends

Bringing a baby into your life changes your relationships with other people, whether you are part of a couple or alone with your child, and everyone's situation is different. For example, some mothers feel that their own mothers are taking over, while others resent the fact that their mothers will not help them more.

However painful it may be, it's best to try to be very clear about the kind of help you do want, rather than going along with what is offered and then feeling resentful. Remember, your mother is also having to get used to a completely new relationship with you, and she will not know what to do for the best – unless you tell her!



www.netmums.com
online support forum

Taking time to listen

However close you were before the baby was born, your partner cannot read your mind! Things are changing in both your lives and you have to talk about it. Both you and your partner will need to tell each other what you want, and you will need to explain what is bothering you if you are resentful, angry or upset.

- Be upfront about what you need. Do you need a hug? Or just a bit of quiet understanding?
- Ask a friend or relative to babysit so that you can have time together – even if it's just for a walk in the park.

- Share the housework, so you can make more time to be together.
- Share the childcare too.

It's also important to talk about how you want to bring up your children. You may find that you don't agree about such basic matters as discipline and attitudes. You need to find a way of dealing with these issues without disagreeing the whole time in front of your children. For more information on how to cope with the changes that happen in a relationship when you first become parents, go to www.thecoupleconnection.net

talk to your partner

You may find that your old friends stop visiting or that they seem to expect you just to drop everything and go out for the evening. This can be quite annoying, but try to explain how your life has changed. They may not understand the changes you are going through. Keep in touch and keep some space for them in your life. Friends can be more valuable than money when the going gets tough.

Help and support

Getting some extra help

If this is your first baby, you may be feeling very lonely and cut off from your old life. Your partner cannot supply everything that you used to get from work and friends. You need other people in your life, too, for support, friendship and a shoulder to cry on. See page 150 for more on coping with loneliness.

If you feel your relationship is in danger of breaking down, get help. Relate has local branches where you can talk to someone in confidence, either with your partner or alone. You don't have to be married to contact them. To find your local branch, contact Relate (www.relate.org.uk) or look under Marriage Guidance in your phone book.



Sex

Babies and small children don't make for an easy sex life. You are tired and stressed, and opportunities are few and far between. That is fine as long as you and your partner are happy with the situation, but if sex is causing problems in any way at all, you need to sort it out. Lack of sex, or unhappy sex, can cause a lot of frustration and worry and put a real strain on a relationship.

Immediately after the baby is born many women feel sore as well as tired. They may also be worried about the state of their body or about getting pregnant again. Men can face problems too. Tiredness apart, a partner's sexual feelings will probably be much the same as before his baby's birth. But many men worry about what is right for their partner, are unsure what to do, and feel worried and frustrated.

The following suggestions may help:

- **If penetration hurts, say so.** It's not pleasant to have sex if it causes you pain, and if you pretend everything is all right when it is not you may well start seeing sex as a chore rather than a pleasure, which will not help either of you. You can still give each other pleasure without penetration (for example, by mutual masturbation).
- **Be careful the first few times.** Explore a bit with your own fingers first to reassure yourself that it will not hurt, and use plenty of extra lubrication, such as lubricating jelly (you can buy this at the chemist). Hormonal changes after childbirth may mean that you don't lubricate as much as usual.
- **Make time to relax together.** There is little point trying to make love when your minds are on anything but each other.
- **Take your time.** If you are still experiencing pain two months or so after the birth, talk to your GP or family planning clinic. You can get treatment for a painful episiotomy scar. Ask to see an obstetric physiotherapist.



changes in your relationships



Contraception

You can get pregnant as soon as three weeks after the birth of a baby, even if you are breastfeeding, and even if you have not started your periods again. You should use some kind of contraception from the first time you have sex after giving birth unless you want to get pregnant again. You will usually have the opportunity to discuss the various options before you leave hospital after your child's birth, and at the postnatal check-up. But you can also talk to your GP or health visitor, or go to a family planning clinic, at any time.

Non-surgical (that is, not sterilisation) short-acting contraceptive choices include the pill, the patch, barrier methods (condoms, caps and diaphragms), spermicides and natural methods. Remember, contraceptives are only effective if you use them correctly. For example, taken correctly, the pill is a very reliable method of contraception but you can still get pregnant if you forget to take a pill, take one at the wrong time or have an upset stomach.

If you are looking for an extremely reliable method of contraception, which you can 'fit and forget', you could think about a long-acting reversible contraceptive (LARC). These include implants (such as Implanon), injections, IUDs (intra-uterine devices, formerly known as the coil) and IUSs (intra-uterine systems, such as Mirena). Once fitted or injected, LARCs stay in place for anything between three months and 10 years and have an almost 0% failure rate.

Remember to use condoms with any new partner to reduce the possibility of catching a sexually transmitted infection, regardless of what other form of contraception you choose.



Sexually transmitted infections

The rate of sexually transmitted infections (STIs) is on the increase. Up to 70% of women and 50% of men with an STI show no symptoms, so you may not know if you have one. However, many STIs can affect your baby's health during pregnancy and after birth. If there is any reason to believe that you or your partner could have an STI which was not diagnosed before pregnancy, you should go for a check-up as soon as you can.

Ask your GP or midwife or, if you prefer, go to a genito-urinary medicine (GUM) or sexual health clinic, where you will also be guaranteed strict confidentiality. You can find your nearest GUM or sexual health centre in your phone book (listed under the name of your primary care trust) or at www.nhs.uk, or call the Sexual Health Helpline free on 0800 567 123.

HIV and AIDS

Since 1999, HIV tests have been offered and recommended to every pregnant woman, and as a result there has been a dramatic fall in the percentage of HIV positive women giving birth to HIV positive babies, from 20% in 1997 to less than 2%. Treatment according to the latest British HIV Association (BHIVA) guidelines (www.bhiva.org) will result in the best outcomes for mothers with HIV and their babies.

If you are HIV positive, talk to your GP about your own health and the options open to you, or you can contact a number of organisations for advice and counselling. There are ways of substantially reducing the risk of transmitting HIV to your baby during pregnancy and after birth.

You should be offered a confidential HIV test as part of your routine antenatal care. Before the test, your doctor or midwife will discuss it with you. If the result is positive, counselling will be offered to help you understand the implications. You can also go to a GUM clinic for an HIV test and advice.

DOMESTIC ABUSE

One in four women experience domestic abuse at some point in their lives. This may take the form of physical, sexual, emotional or psychological abuse. Victims are likely to suffer repeated attacks before they ask for help. Nearly a third of this abuse starts in pregnancy, and existing abuse may worsen during pregnancy or after birth. No one should have to put up with domestic abuse. It puts your health, and that of your baby, at risk, before and after birth.

If you are being abused, help is available. You can speak in confidence to your GP, midwife, health visitor or social worker, or call the confidential National Domestic Violence Helpline for information and support on 0808 2000 247.

Witnessing domestic abuse can have a serious effect on children. Social workers can help you protect your child and, if you wish, help you take steps to stop the abuse or seek refuge.

Help and support

Domestic abuse

If you or your children are in immediate danger, call 999.

For information and support, contact:

- The freephone 24-hour National Domestic Violence Helpline on 0808 2000 247
- The Women's Aid Federation – www.womensaid.org.uk
- Rape Crisis – www.rapecrisis.org.uk

BRINGING UP A BABY ON YOUR OWN

Don't be afraid to ask for help from friends and family. But you may find the best source of support is other lone parents. The following suggestions may help take the pressure off you a bit, and make it easier to cope:



- Suggest a 'swap' arrangement with another parent so that you take it in turns to look after both the children. It might be easier to start doing this during the day; later, when everyone is used to the arrangements, you can try doing it overnight. The children will benefit too from having a close friend, especially if they don't have brothers and sisters.
- Suggest a regular evening babysit by a trusted relation or friend. You may well find that they are delighted at the opportunity to make friends with your child.
- Grandparents are often glad to have a child stay overnight.

Helpful tips

Making friends

If you don't already know people locally, try contacting other mothers through local groups.

Ask your health visitor what is going on locally, and have a look through the list of support and information organisations on page 157. Many run local groups. One Parent Families/Gingerbread (see page 185 for contact details) is run specifically for one-parent families, and can put you in touch with local groups.



Absent fathers

If you had hoped to bring up your child as a couple you may be feeling very angry and hurt. As a lone mother, one of the hardest – but most important – things you have to do is to keep those feelings to yourself and let your child build their own relationship with their father. Unless your child's father is violent to you or your child, or you feel he is likely to abuse the child in some way, it's almost certainly better for your child to see their father regularly, even if you marry a different partner.

At first, you may find that your child behaves badly when they come home after a visit. Small children cannot understand or explain their own feelings, and this is the only way they have of letting you know that they are upset and confused. Unless you are convinced that something bad is happening on access visits, the best way to deal with this is just to be reassuring and calm. In the end your child will learn to look forward to visits and also to coming home.

Sharing your feelings

You will almost certainly want (and need) to talk about your own feelings. Try to find another adult to talk to. Your children don't need to hear the details of your feelings about their father and will feel confused and unhappy about loving someone who you clearly don't love any more.

a whole mixture of feelings



BEREAVEMENT

The death of someone you love can turn your world upside down and is one of the most stressful and difficult things you can go through. If you have just had a baby, you may find it even harder to cope. It can help just to spend time with friends and family. A sympathetic arm around the shoulders can express love and support when words are not enough.

Grief is not just one feeling but a whole mixture of feelings. It takes time to get through it, and the process cannot be hurried. If you need help or advice, contact your GP or any of the relevant organisations listed on pages 182–185.

If your partner dies

Losing your partner, particularly during your pregnancy or soon after childbirth, is devastating. You may feel numb and as if you will never be able to get over what has happened. That may be true; but

it's also true that you will learn, eventually, to live with it. Don't be afraid to lean on family and friends for help and support for yourself and your baby.


Financially, you may need urgent advice and support. The Department for Work and Pensions has published three leaflets that you may find useful:

- *A guide to the Social Fund* (SB16)
- *The Social Fund* (DWP1007)
- *What to do after a death in England and Wales* (D49).

A guide to the Social Fund is available online at www.dwp.gov.uk/advisers/sb16/. All three leaflets are available at Jobcentre Plus branches (see www.jobcentreplus.gov.uk for a list of branches).

You could also contact Widwods, a small support group set up by young widows, on 01825 765084 (evening only), or the WAY Foundation (see page 185 for contact details).

share the ups and the downs



MONEY, WORK AND BENEFITS

Money can be a major headache. The first step is to make sure you are getting everything you are entitled to.

Chapter 11 provides more information about benefits and will help you check that you are claiming everything you are entitled to. One Parent Families/ Gingerbread (see page 185 for contact details) offers free advice packs to lone parents and can provide independent advice about maintenance problems to parents on benefits.

The Child Support Agency can work out and enforce child maintenance for children living in the UK as long as the parent looking after them (the 'person with care') and the non-resident parent also live in this country. The agency may also be able to handle child maintenance for some non-resident parents living abroad, if their employer is based in the UK. For more information, contact the Child Support Agency National Helpline on 08457 133 133 (calls are charged at local rates), textphone 08457 138 924, or go to www.csa.gov.uk

See page 155 for information about help with housing problems. If you are working, or thinking about working, see page 168 for information about the help and support available.

LONELINESS

Lots of mothers feel lonely, especially after the birth of a first baby. You may feel cut off from old friends but find it difficult to make new ones. Even if you have friends around you, it can be difficult to make the effort to get out and see them.

Meeting new people takes confidence, but it's worth it. Being able to share the ups and downs of parenting with other people who are in the same situation will help you to cope with the difficult times and make the good times better.

- Ask your health visitor for information about postnatal groups, mother and baby groups, carer and toddler groups, and playgroups. These may also be advertised on the noticeboard at your clinic or Sure Start Children's Centre. There may be a group specifically for young parents.

- Chat with other mothers at your baby or child health clinic.
- Talk to your health visitor and ask them to introduce you to other new mothers living nearby.
- Netmums, Home-Start, NCT and many other local organisations (sometimes based in churches or temples) run local groups where you can meet other people, chat, relax and get some support (see the useful organisations section on pages 182–185 for details).

Going back to work

For some mothers, the solution to feeling lonely and cut off is to go back to work. It's not always easy to find the right sort of work with the right sort of hours, or to make childcare arrangements. But if you feel that working outside the home could help you, there is plenty of support available.



More information

Managing your money

The Financial Services Authority has produced a *Parent's Guide to Money*, designed to help new parents plan their finances. It covers budgeting, state benefits, coping with the cost of bringing up children and childcare, maternity and paternity rights, savings and work. There is also a CD ROM you can use to manage your own family finances. You can find the guide on the FSA website at www.fsa.gov.uk/financial_capability/pgtm/

parent's guide to money

Going back to work

Most mothers go back to work at some point. About half do so before their children start school. It may help to talk to other working mothers, but the most important thing is to decide what is right for you and your family. You will need to consider all these issues:

- **Feeding.** If your baby is still breastfeeding, try to get them used to taking milk from a bottle or cup before you go back to work. For advice on feeding once you have gone back to work, talk to your health visitor, NCT, La Leche League, or the Association of Breastfeeding Mothers (see page 17 for contact details). You can express milk to leave for feeds. It's also possible to give your baby formula milk in the middle of the day and still breastfeed the rest of the time. See page 10 for more on expressing milk.
- **Childcare arrangements.** Keeping arrangements as simple as possible will mean things are more likely to run smoothly, and that means less stress for you. You will also need to be reasonably sure the arrangements you have made will go on working effectively over time (see page 81 for more information about childcare).

- **Childcare costs.** Childcare can be very expensive. Will you be able to afford to pay for childcare out of what you earn? Can you find work that you can do while your partner is at home? Can you fit work into school hours? Can a friend or relative help out at least some of the time? Have you checked all the benefits and tax credit help you may be entitled to (see Chapter 11)?

- **Housework.** Think about who is going to do it, and when. If you have a partner, talk to them about how you are going to share the housework and childcare.

- **Making time for your child.** Even the best childcare is not a substitute for a parent. There are ways that you can spend quality time with your child so that they know that they are special. If you work long hours during the week, can you or your partner keep your weekends free? If you don't see your child in the day, can they stay up later in the evening and sleep longer during the day? You may be able to work flexi-time, part-time or a four-day week, to free up time to spend with your child.

- **Flexible working.** Since April 2003, parents with a child under six or a disabled child of 18 or under have the right to ask their employers for flexible working arrangements. From April 2008, this right has been extended to carers of disabled adults. The government is currently looking at whether to extend the right to include parents of children up to 16 (see page 164).

